

True flat Industrial all in one pc: MYT27



Applications:


- Automatic system: intelligent self-service terminal, intelligent retail terminal, O2O smart device, robot equipment, etc.
- Public Places: subway, airports, stations, gas stations, toll stations, bookstores, parks, exhibition halls, stadiums, museums, convention centers, ticket agencies, HR market, lottery centers;
- Business Organizations: supermarket, large-scale shopping malls, exclusive agency, chain shops, large-scale sales, star-rated hotels, restaurants, travel agencies, pharmacy.
- Financial Organizations: Banks, negotiable securities, funds, insurance companies, pawnshops;
- Non-profit Organizations: Telecommunications, post offices, hospital, schools;
- Real Estate Property: Apartments, villas, offices, commercial buildings, model rooms, property brokers;
- Entertainments: Movie theaters, fitness halls, country clubs, clubs, massage rooms, bars, cafes, Internet bars, beauty shops, golf course.

Specification

PC	
CPU Standard	Intel core i5 10th
Memory	8GB DDR4
Hard Drive Capacity	128GB SSD
Graphics	CPU Integrated graphics HD Graphics and support 1080p HD photo quality
Audio	Realtek ALC662, High Definition Audio (HD), Line in, Line out
Network	1×Realtek RTL 8111E Gigabit Ethernet controller
Expansion	2* Mini-PCIE expansion slot, support WIFI/3G/4G/MSTA/GPS
Ports	USBx4
	HDMIx1
	VGAX1
	LANx1
	EARx1
	RS232x2 (Optional)
	MICx1
	Power DCx1
Opetation System	Win7/8/10/11/Linux
LCD panel	
Panel size	27" widescreen
Display ratio	16: 9
Resolution	1920*1080
Brightness	300nits
Response time	15ms
Contrast ratio	1000:1
View angle	89°/89°/80°/80° (R/L/U/D)
Touch Interface	USB
Touch response time	<8ms
Luminousness	75-85%
Power Supply	
External Power Supply	AC 100 - 240V

Working voltage	DC 12V
Power consumption	≤60W
Operating Environment	
Temperature range	operating: -10 to 60°C, storage :-20 to 70°C
Relative humidity	5%~95% @ 40° C, non-condensing
Vibration	5-500 Hz, 0.026 G ² /Hz, 2.16 Grms, X, Y, Z, 1 hour per axis
Packing Details	
Packing detail	two panel PC in one carton
Weight (G.W.)	26KG around per carton
Accessories	Power adapter, Wifi antenna, user manual
Other	
Certification	CE, FCC, RoHS
Warranty	1 year warranty

Drawing



Technische Änderungen und Irrtum ohne Vorankündigung vorbehalten! Alle Rechte geschützt!

WETIF
industrie edv

WETIF Industrie EDV
Senserstrasse 3
D - 82140 Olching

Telefon +49 8142 448976-0
Gi ddcfh +49 8142 448976-&
InfoTel +49 8142 448976-3

Email info@wetif.com
Internet www.wetif.com