

## Industrie Panel PC: WIP10+12 - Windows 7 Pro/ 8.1 Pro/ 10 Pro



WIP10 Front



WIP12 Front



optional full IP65 Back



standard Back  
and I/O Panel

<b>System</b>	<b>CPU</b>	•Intel® Celeron J1900 quad core, 2.0 GHz •Intel® Core i3-4010U dual core 1.7 GHz
	<b>RAM</b>	2 GB DDR3 SO-DIMM, optional 4 to 8 GB
	<b>HDD/ SSD</b>	16 GB SSD in 2.5" SATA drive bay, optional 30 to 240 GB
	<b>BIOS</b>	AMI 16MB DPI flash
	<b>Watchdog Timer</b>	255 level, 0~255 sec
	<b>LAN</b>	RJ45 10/100/1000M, supports PXE, wake-on-LAN
	<b>Graphic</b>	Intel® HD Graphics
	<b>OS</b>	Windows XP, Win7, Win8.1, Win10, Linux
	<b>I/O Ports</b>	<b>4x USB 2.0/ RJ45/ VGA/ HDMI/ Audio-out/ 2x COM/ optional WLAN b/g/n</b>
<b>Display Part</b>	<b>LCD Size</b>	10.4 inch/ 12.1 inch
	<b>Contrast Ratio</b>	400:1 with 10"/ 700:1 with 12"
	<b>Response Time</b>	10 ms
	<b>Brightness</b>	400 to 420 CD/m <sup>2</sup>
	<b>Aspect ratio</b>	4:3
	<b>Viewing Angle</b>	70/60 (U/D) 70/70 (L/R) with 10"/ 80/60 (U/D) 80/80 (L/R) with 12"
	<b>Operating Temperature</b>	-10 to +60 °C
	<b>Resolution</b>	800*600 (optional 1024*768 with 12")
	<b>Color Reproduction</b>	16.7M/ 262K
<b>Touchscreen</b>	5-wire resistive type	
<b>Power Requirements</b>	12V DC-IN (standard) / wide range 8V~28V input (optional)	
<b>Dimensions</b>	255 x 208 x 70 mm with 10"/ 313 x 243 x 57 mm with 12"	
<b>Construction</b>	Aluminum chassis with fanless design	
<b>Degree of protection</b>	IP65 front as standard/ optional IP65 all-around	
<b>Mounting VESA</b>	100 x 100 mm	

Techn. Änderungen ohne Vorankündigung und Irrtum vorbehalten. Alle Rechte geschützt.