



# Fanless Full Stainless Steel Panel PC: SPB15/ 17/ 19/ 22


Mechanical Design



IP65 connector / cable



2 x USB2.0 LAN COM2 Power



\* Note: this is a simplified drawing and some components are not marked in detail. Please contact our sales representative if you need further product information.

## System Specifications

### TFT Characteristics

- Resolutions : 1024x768/ 1280x1024/ 1280x1024/ 1920x1080
- Brightness : 250/ 350/ 250/ 250 cd/m
- Contrast Ratio : 700/ 1000/ 1000/ 1000 : 1 (typ.)
- Viewing Angles : -85~85(H); -80~80 (V)
- Max Colors : 16.7 M

### SBC Specifications

- Processor : Intel Core i5-5200U/5250U Broadwell (up to 2.7 GHz)
- BIOS : AMI UEFI BIOS
- System Memory : 1x DDR3L 1.6 GHz 4 GB (default), max. 8 GB
- Graphic Chipset : Integrated Graphic
- Ethernet : 1000 Base-Tx Gigabit Ethernet
- USB : 2x USB 2.0
- Serial : 1x RS232
- SSD Interface : 1x Mini PCIe 64 GB (default), max. 256 GB
- Power Input : DC-in

### Power Specifications :

- Power Input : 12 V DC-in (lockable power jack)
- Power Consumption : 50 W (typ.) (max. brightness & CPU load)

### Accessories :

- External Power Supply 80 W w/ power cord

### Environment Considerations

- Operating Temperature : 0 °C to 45 °C
- Operating Humidity : 30 % to 90 % (non-condensing)

### Input/ Output Connectors :

- Ethernet LAN : 1x RJ45 10/100/1000 Mbps
- COM : 1x RS232
- USB : 2x USB 2.0
- Power : 1x 12 VDC

### Order Options :

SBC	PANEL PC
RAM : SODIMM DDR3L 2GB/ 4GB/ 8GB	Mechanical : Stainless Chassis
Storage : 2.5" HDD/ Mini PCIe SSD	Touch : 5-Wire Resistive
	OS : Windows 7/ 8 / 10 IoT Enterprise

Technische Änderungen und Irrtum ohne Vorankündigung vorbehalten! Alle Rechte geschützt!



WETIF Industrie EDV  
Sensorstraße 3  
D - 82140 Olching

Telefon DE +49 8142 448976-1  
Telefax DE +49 8142 448976-4  
Internet www.WETIF.com

Telefon AT +43 664 2868223  
Telefax AT +43 662 234661844  
eMail info@wetif.com